Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Toole's 1935 -- 36 CATALOG



HARDY PERENNIALS
ROCK GARDEN PLANTS
MIDWESTERN WILD FLOWERS

W. A. TOOLE

Garry-nee-Dule

BARABOO, WISCONSIN

To Our Flower Loving Friends

We were much pleased during 1934 to see how interested many people were in our three exhibits at A Century of Progress. If you were one of our friends who visited the Horticulture Building, we hope you enjoyed all the many interesting gardens displayed there.

New varieties are being tried out constantly at Garrynee-Dule, discarding some kinds and adding others to our list. This experimenting is intensely interesting, but expensive.

You will again find Tooles' plants offered in two types, small but vigorous potted plants and field grown stock. The potted plants are specially recommended for rock garden planting where they quickly establish themselves and readily become adjusted to the irregular rock or wall garden surfaces.

GUARANTEE

These plants are guaranteed to reach you in good growing condition. Complaints as to quality of plants received must be sent us within ten days of receipt of plants. We do not guarantee growth or hardiness of these plants other than above. Should any plants prove untrue to name, we are always ready to make replacements when notified.

VISITORS

Visitors are always welcome at Garry-nee-Dule where you will find many new and interesting plants in the Rock Garden, Perennial Gardens, and Nature Trail.

TERMS

Cash with order, which includes packing and delivery charges. Minimum order \$1.00.

PRICES

12 of one variety at the price of 10; 3 or more of a kind at dozen rates; write for quotations on large quantities.

W. A. Toole, of Garry-nee-Dule, Baraboo, Wis.

Varieties suitable for Rock Gardens marked * Pot. F'ld ACAENA (New Zealand Bur) *Sanguisorbae.—A spreading ground cover with shiny green foliage
*ACAENA (New Zealand Bur) *Sanguisorbae.—A spreading ground cover with shiny green foliage
*Sanguisorbae.—A spreading ground cover with shiny green foliage
shiny green foliage
*Aizoon—While the clusters of white flowers are ornamental, the real attraction is the silvery foliage
*Aizoon—While the clusters of white flowers are ornamental, the real attraction is the silvery foliage
ornamental, the real attraction is the silvery foliage
foliage
Millefolium Roseum—A cultivated and improved
Millefolium Roseum—A cultivated and improved
form of the familiar "Yarrow" of our fields with
showy rose colored flowers
*Nana—L'ttle mats of aromatic grey foliage,
used as one of the flavorings of Chartreuse
wine
Ptarmica fl. pl.—Perrys Variety. A mound of
button libe marite the state of
button-like white flowers through the summer .20
*Tomentosa—Low, wooly mats of grey green
foliage, topped in season with heads of bright
yellow flowers
*UmbellataMost effective as a silvery leaved
foliage plant if the flower heads are kept shear-

A GODING	Pot.	F'ld
ACORUS Variantes Control Varia		
Gramineus Variegatus—Grassy foliage striped white; Our entire stock of this plant comes		
from the gardens of A Century of Progress where it was used around a fountain, 8—12 in.	25	
ADENOPHORA	· 44 U	
Bulleyana—A Blue flowered member of the		
Campanula family, growing to 2 ft. and flower-	20	25
ing in JulyAEGOPODIUM	.20	.25
*Podograria Variegatum—A good ground cover		
for shaded waste places	.15	
AETHIONEMA		
*Armenum—The blue green mats of foliage are doubly attractive when topped with their rose		
colored flowers	.15	.25
*Pulchellum—The foliage effect of this Persian		
Candytuft is specially effective	.15	
AJUGA (Bugle) *Genevensis—6 inches: pink; invading ground		
cover; May-June	.15	
*Hybrida Tottenhami-6 inches; metallic purple		
leaves		
*Reptans—6 inches; ground cover; blue; May One each of the above 3 Ajugas, 40c	.15	
ALLIUM		
*Schoenoprasum (Chives)—Both beautiful and		2.0
useful; 8 inches; rosy lilac; May	.15	.20
*Stellatum—8 inches; pink heads of starry flowers in summer	.20	.25
*Thibeticum—8 inches; rose; June		.25
One each of the above 3 Alliums, 45c		
*Rostratum—8-12 inches; yellow; July	15	20
*Saxatile Compactum—Golden masses of flowers	.13	.20
in May	.15	.25
*Saxatile Citrinum—Lemon yellow form of the	1 7	25
above**Serpyllifolium—Prostrate, gray green foliage;	.15	.25
Lemon yellow flowers in June	.15	
ALTHAEA (Hollyhock)		
Rosea—Double mixed colors		.20
ANCHUSA (Bugloss) Italica, Dropmore Variety—3-4 feet; sky blue;		
May-June		.20
*Myosotidiflora—10-12 inches; blue, large leaves;	4 ~	2 ~
MayANEMONE	.15	.25
*Pulsatilla—8-9 inches; purple; April	.15	
ANTENNARIA (Pussytoes)		
*Tomentosa—2-3 inches; white; silvery foliage	.15	
ANTHEMIS (Camomile) Tinctoria Kelway's Variety—12-18 inches; bright		
yellow; June-August		.20
Tinctoria Perry's Variety—12-16 inches; yellow;		
June-Aug	.15 °	
AQUILEGIA (Columbine) Canadensis—18-20 inches; red and yellow; May	.15	
Caerulea—Rocky Mountain Columbine; 10-12		
inches; blue and white, June		
*Flabellata Nana Alba—6-8 inches; milk white; June		.25
Long Spurred Hybrids—18-24 inches; many	• 1 0	. 40
colors; May-June	.15	
Price: 12 of one kind at price of 10; 3 or more at doz.	rates	

	Pot.	F'ld
ARABIS (Rockcress)		
*Alpina—6-8 inches; white; April	.15	.20
*Alpina Fl. Pl.—Double flowered form of above	.15	.25
*Alpina Rosea—6-8 inches; light pink; April		.25
*Kellereri—1-2 inches; white; April		
*Procurens—3-4 inches; white; May		
*Sturyi—3 inches; white; April		
One each of the above 6 Arabis, \$1.00		
ARENARIA (Sandwort)		
*Grandiflora—3-4 inches; white; June-July	15	.20
*Montana-Grandiflora—6 inches; white; summer		0
*Purpurascens—2-3 inches; purple; June		.25
*Verna—Fine mossy foliage, tiny white flowers		.20
*Verna Aurea—Foliage golden yellow		
*Vingi—5 inches; white; May		
One each of the above 6 Arenarias, 90c		
ARMERIA		
*Alpina—Conspact little tufts with heads of light		
pink flowers in June		.35
*Laucheana—4-6 inches; bright rose; all season		.25
*Laucheana Robusta—Taller with larger flower		0
heads than preceeding		.25
*Setacea—4-5 inches; light pink; June		.35
One each of the above 4 Armerias, 70c	.20	.00
ARTEMISIA		
Abrotanum—Lads Love or Southernwood	.15	
Absinthium (Wormwood)—A shrubby plant used		
for medicine and a source of absinthe		
Frigida—10-12 inches Silky silvery foliage		.25
Lactiflora—3-5 ft. Milk white; Sept.		0
Silver King—14-20 inches; silvery foliage, often		
dried for winter use		
ASTER		
*Alpinus—8-10 inches; purple; June	.15	.25
*Amellus—12-15 inches; Purple and yellow;		
Sept.		
Climax—2-3 ft. light blue; Sept.		.25
Elta—18-24 inches semi-double pale lilac; Sept		.20
*Linariifolius—6-8 inches; Lavender Blue; Sept.		
Likes sand soil	.15	
*Mauve Cushion—6-8 inches; light rose; Sept.		
October		.20
Novae-Angliae—3-5 ft. various colors; Sept		.20
*Sub-coeruleus—10-12 inches; purple and yellow;		
late June		
ASTILBE		
*Simplicifolia—A dwarf form of Astilbe suited		
to rock gardens	.50	
*Sinensis Pumila—Lovely fluffy spikes of lilac		
pink in August	.50	
AUBRIETIA		
*Hybrida—One of the earlier plants to flower.		
Purple and lilac	.15	
BAPTISIA		
Australis—A bushy plant with attractive foliage		
,4-5 ft. tall. Blue Lupine like flowers		.20
BELLIUM	_	
*Minutum—Tiny little white daisies	.20	
BELLIS		
*Rotundifolia Coerulescens—A lovely little daisy,	2.0	
lightly tinted with blue. Long season bloomer	.20	
CALAMINTHA		
*Alpina—Violet flowers on 6 inch plants in summer	1 =	
Price: 12 of one kind at price of 10; 3 or more at doz.		
on one mind at place of io, 3 of more at doz.	lates.	

	Pot.	F'ld
CAMPANULA (Bellflower)		
*Bellardi Mirandi—Tubby little blue bells on low matted plants	25	
*Carpatica—Lilac blue bells in early summer.		
Border or rock garden	15	.25
*Carpatica Alba—A white flowered form of the	•••	
above. 6-9 inches	.15	.25
*Carpatica Nana—More compact than the type.		
Lovely in rock gardens. Blue		
*Garganica—A mass of blue stars in June		
*Glomerata—10-12 inches; deep purple; June	.15	.25
*Lauri—From the mountains of Greece; wide	0 =	
starry bells of soft purple	.55	
*Pusilla—The tiny blue bells rising from creeping stems are lovely in rock clefts	25	
*Pusilla Alba—A clear white form		
*Rotundifolia—Scotch Blue Bell found around	.40	
the world but lovely everywhere	.15	
CARYOPTERIS		
Mongolica—A shrubby plant with light blue		
flowers in late summer. 2 feet		.50
CENTAUREA		20
Dealbata—18-24 inches; rose; June		.20
Macrocephala—3-4 ft. Curious brown buds out of which the fluffy yellow powder puff blossoms		
appear in summer	15	
Montana—15-18 inches; Much like a blue Bach-	.10	
elors Button; May		.20
CERASTIUM		
*Tomentosum—Snow in Summer. A mat of sil-		
very foliage and white flowers in July	.15	.25
CERATOSTIGMA	1 5	
*Plumbagoides—Bright deep blue in late summer CHEIRANTHUS	.15	
*Allioni—Siberian Wall Flower. Brilliant orange		
flowers in spring and summer. 10-12 inches.		
Biennial	.15	
CHELONE		
Lyoni—Turtle Head. 2-3 ft.; purplish rose; Sept.		.25
CHRYSANTHEMUM		
*Coreanum—Lightly tinted daisy flowers in Aut-	1 -	
umn. 2-3 ft	.15	
daisy of the Shasta type but hardier. May-June		.20
Shasta Daisy Alaska—The old favor te of the		.20
hardy garden		.20
Double Flowered Shasta Daisy—Large double		
and semi double flowers. Variable	.25	
CHRYSANTHEMUM (Hardy Garden Varieties)		
Aladdin—A very early bronze variety starting to	2-	
flower in midsummer*******************************	.45	
Cushion. Dwarf plants 10 inches high starting		
to flower in August. Semi-double pink flowers	.25	
Bronze Button—A good early variety		
Captain R. H. Cook—A strong growing pink		
pompon	.15	
Carrie—Good early yellow; free flowering	.15	
Early Yellow Button—A mid-October flowering	1 5	
Gold Lode—A large flowered yellow		
Gypsy Girl—Single crimson shading to bronze	• • •	
midseason	.15	
Price: 12 of one kind at price of 10; 3 or more at doz.	rates.	

	Pot.	F'ld
Irene—\Vhite; button variety Julia Miller—A tall pink pompon Lustre—Large flowered, silvery pink Oconto—Large flowered early white	.15 .15	
Petite Louise—A very fine light pink pompon	.15 .15	IT
TOOLE'S NEW SINGLE SEEDLING CHRYSA MUMS—Choice, early free flowering singles of double varieties.		
Flora—Single shell pink quilled with flat tips to petals Lena—Single clear yellow quilled petals with	.25	
flattened tips	6	
Vera—White daisy-like flower Velma—White, quilled petals spreading flat at	.25	
tips CLEMATIS Davidiana—2½-3 ft.; lavender blue; August-	.25	
Sept. Recta—2-3 ft.; white; June Tangutica—Vine; yellow; summer		.25 .35 .50
CONVALLARIA (Lily of the Valley) Majalis—6 inches; white; May COREOPSIS	.25	
Lanceolata Grandiflora—24-30 inches; yellow; June-July		.20
CORYDALIS (Fumitory) *Lutea—6-8 inches; yellow; June-August DELPHINIUM	.35	
Belladonna—18-24 inches; light blue; June September Bellamosum—18-24 inches; dark blue; June September	.15	.20
	.15	
June-July Garry-nee-Dule Blue Hybrids—3-6 ft. various shades; June-July		.50
DIANTHUS *Alpinus—Low growing green foliage covered at		0
*Arvernensis—Low growing mats of lovely grey green foliage, attractive the year around. Pink	.35	
flowers on slender stems in early June		.25
*Crimson King—Also sold as Harvard Red, Dark red double flowers throughout the sum-		
mer. An old plant recently revived. Very popular *Caesius—Cheddar Pink. Blue gray mats and fringed pink flowers		.25
*Caucasicus—Compact glaucious grey fol age. Deep rose colored flowers		.20
*Deltoides—Maiden Pink. Pink flower on mats of pretty green foliage 4-6 inches *Deltoides Alba—White flowered form of above		.25 .25
*Deltoides Rockhome—New Beautiful bronzey foliage. Brilliant pink and red flowers		
flowers on 6 inch stems. Fine rock plant		
best of the deltoides group. 4-6 inches	.15	5.

	Pot.	F'ld
*Knappi—One of the few yellow flowered Dianthus. Heads of lemon yellow flowers during a		
long season *Monspessulanus—Rosy pink flowers. Late		.25
flowering. 6 inches		
*Plumarius—Garden pink. Various shades of pink and red with darker centers		.25
*Pyridicola—A new dwarf species from Greece. Bright pink flowers on tufts of glaucous foliage		
*Saxigenus—New dwarf Rock Garden species. Unflowered as yet. Should be good		
*Sundermanii—White variety of hybrid origin. Glaucous grey tufts. 4-6 inches	.15	
*Superbus—Deeply fringed white flowers. 8-10 inches		
Good foliage	.25	
colors. 6 inches DICENTRA		
*Eximia—8-12 inches. rose, May-Sept		
fashioned Bleeding Heart DIGITALIS (Foxgloves) Purpurea-—The old fashioned Foxglove of Grand-	.15	
mothers Garden. Mixed colors		.25
*Clusi—A dwarf Alpine daisy growing but 10-12 inches high. Yellow flowers in May and June *Excelsum—15-18 inches; yellow; May		.25
DRABA (Whitlowgrass) *Bartoloni—A large form of Aizoides		
*Fladnizensis—Sunny well drained soil, mats of green foliage; white flowers very early	.25	
*Repens—Low creeping stems covered with tiny yellow flowers in early spring		.25
DRACOCEPHALUM (Dragonhead) Ruyschianium—10-12 inches; blue; June. Excellent for the foreground of the perennial		2 =
border ERIGERON (Fleabane)	.15	.25
Speciosus—Bright lilac flowers in midsummer. 15-24 inches	.15	.25
*Alpinus—Wee tufts of dark green; rosy purple flowers on 3 inch branched stems	.15	
ERYNGIUM (Sea Holly) Amethyst num—Glaucus foliage and thistle like		
heads of steel blue ERYSIMUM *Linifalium 1 foots libra manual lana August		.25
*Linifolium—1 foot; lilac-mauve; June-August. Biennial *Nanum—8-12 inches; yellow; June-August		
EUONYMUS Colorata—-(Bronze Leaf Winter Creeper) Leaves		
turn bronze in fall and winter	.15	.50
low walls or rock garden	.15	.50
Price: 12 of one kind at price of 10; 3 or more at doz.		

	ot. I	F'ld
EUPHORBIA (Spruge)		
*Myrsinites—8-12 inches; silvery foliage; yellow		
*Polychroma—12 inches; yellow; May	.25	
FESTUCA (Fescue)		
*Glauca—6-8 inches; ornamental blue grass	15	.20
FILIPENDULA (Meadowsweet)		
Hexapetala—12-18 inches; creamy white; June	.15	
FRAGARIA		
*Upright Alpine Strawberry—A bushy growing		
everbearing strawberry with long pointed orna-		
mental fruit	.25	.35
GAILLARDIA	. –	
Grandiflora —18-24 inches. One of the best long		
season bloomers for the hardy border; various		
combinations of yellow and red	15	25
GALIUM (Bedstraw)	, 1 0	.40
· · · · · · · · · · · · · · · · · · ·		
Verum—Attractive green carpet smothered with	20	
fragrant yellow flowers in midsummer	.20	
GENTIANA		
*Cruciata—4 parted blue flowers in midsummer;	1 5	25
6-8 inches. An easily grown Gentian	.15	.25
GERANIUM (Cranesbill)		
Sanguineum—9-12 inches; Large red saucer shap-		
ed flowers	.15	.25
Sanguineum Lancastriense—2-3 inches; Flowers		
soft rosy pink over a long season	.25	
Wallichianum—A late flowered variety from		
Nepel. Dull blue flowers	.20	
GEUM (Avens)		
Mrs. Bradshaw—Scarlet flowers on 18 inch stems		
in midsummer		.25
		0
GLAUCIUM (Horned Poppy)		
Rubrum—2-3 ft. Gray foliage; yellow or orange		
poppy like flowers and curious long slender	1 ~	25
seed pods	.15	.25
GLOBULARIA		
*Trichosantha—Flat rosettes of dark foliage.		
Soft fluffy globes of flowers in late spring. 3-5		
inches	.15	
GORMANIA		
*Watsoni—A curious Sedum like plant from the		
west. Yellow flowers. 3-4 inches	.25	
GYPSOPHILA		
Fratensis—Like a compact form of Gypsophila		
Repens with clear pink flowers. 3 inches	25	
	.43	.20
Paniculata—2-3 ft. white; June		.20
Paniculata Bristol Fairy—18-24 inches double	۲0	
white; all summer, 1 yr. old	.50	
*Repens—Trailing plant with white flowers in	4 =	0=
May and June	.15	.25
HELENIUM		
Hoopesi—2-3 feet. Large yellow daisies in June	.15	.25
HELIANTHEMUM (Sunrose)		,
*Coccineum fl. pl. Fire Ball—Double scarlet		,
flowers in June. 6-7 inches	.25	
*Mutabile—Single flowers of various colors		
HELIANTHUS (Sunflower)	.15	
·	.15	
Multiflorus II. pl.—Visitors often mistake this for	.15	
Multiflorus fl. pl.—Visitors often mistake this for a very double Dahlia. 3-5 feet. Late summer	.15	
a very double Dahlia. 3-5 feet. Late summer		
a very double Dahlia. 3-5 feet. Late summer and fall		
a very double Dahlia. 3-5 feet. Late summer and fall HELICHRYSUM (Everlasting)	.15	
a very double Dahlia. 3-5 feet. Late summer and fall	.15	

ILEMEDOCALLIC	Pot.	F'ld
HEMEROCALLIS Flava — (Lemon Lily) 30 inches; yellow; May-		
June		.20
Fulva—3 ft. copper orange; July		.20
Gold Dust—2½ ft.; bright yellow; June		.20
Hyrid Goldeni—Large clear yellow		.75
Kwanso fl. pl.—3-4 ft.; double orange; August		.20
Thunbergi—3-4 feet; lemon yellow; July		.20
HERNIARIA (Burstwort)		
*Glabra—Yellowish green foliage, for dry, sunny,		
paved walks	.15	
HEUCHERA (Coral Bells)		
*Sanguinea Edge Hall—12-15 inches; pink; June	.25	
*Sanguinea Red—15-16 inches; red; June		
*Sanguinea Rosamondi—12-15 inches; rose; June	.25	
HOSTA (Plantain Lily)		
*Lanc'folia—8-10 inches; lilac; July	.15	.20
HYPERICUM,		
*Polyphyllum—Dense little 6 inch bushes crown-		
ed with golden stars in late spring		
*Reptans—A mat forming beauty from the		
Himalayas. Soft old gold flowers from pointed		
buds tinged red. 1-2 inches	.45	
*Sempervirens—6-8 inches; white; May	15	
*Sempervirens Little Gem—3-5 inches; white;		
May		.25
INULA	.10	.20
*Ensifolia—8-10 inches; yellow; June-August	.15	.25
*IRIS (Dwarf Varieties)	•••	0
For Rock Garden or Border		
AtroviolaceaVery early dwarf purple		.25
Coerulea—Early light blue		.25
Ditton Purple—Large flowered purple		.25
Dixmude—Dark purple		.25
Florida—Light yellow		.25
Marocain—Deep blue black		.25
Negus—Dark violet, yellow beard		.35
Orange—Deep yellow		.25
Schneekuppe—White with darker markings	•	.25
IRIS (Species, etc.)	۲0	
*Arenarius—Very dwarf yellow		
*Cristata—(Crested Iris) 4-6 inches; light blue;		
May*Dichotoma—(Vesper Iris) 2 feet lilac mauve;		
August		.50
*Ensata—An interesting Iris from North China		.50
Fragrant blue or lilac flowers on 18 inch stems		
Foliosa—18-24 inches; blue; June		.50
Missouriensis—Slender foliage; pale blue flowers		
Mrs. A. W. Tait—3 ft. a soft porcelain blue		.25
Pseudo-acorus—2-3 ft. yellow; June		.25
Siberica Orientalis—3 ft.; dark blue; June	-	.25
JASIONE		
*Perennis—Small heads of azure blue. 9-12 inches	s .20	
LAMIUM		
Maculatum—Green foliage with a silvery centra	1	
spot. Rose colored flowers on 10 inch stems	15	
LATHYRUS		
Latifolius—The well known hardy Pea. Rose		25
colored flowers		.25
LAVANDULA	r 25	
*Vera—The true old fashined English Lavender	23	
Price: 12 of one kind at price of 10; 3 or more at doz	z. rate	es.

	Pot.	F'ld
LEONTOPODIUM (Edelweiss) Alpinium—Not hard to grow in limy well drained	2~	25
LEVISTICUM	.25	.35
Officinale—Lovage. An unsual but very useful		
pot herb with celery like flavor. For soups,		
salads, and also blanched and used as a vege-		
table	.25	
LIATRIS (Blazing Star)		
Pychnostachya—4-5 ft.; dark orchid; August-		25
September		.25
LINARIA (Toadflax)		.20
*Alpina—2-3 feet; violet with orange; May-Sep-		
tembelr	.15	
*Origanifolia—Light lilac flowers in midsummer.		
4-6 inches	.15	.25
LINUM (Hardy Flax) Perenne—12-18 inches; light blue; June-July		.20
LYCHNIS (Campion)		.20
*Alpina—3-4 inches; bright pink; May	.15	.20
Chalcedonica—18-24 inches; scarlet; July		.20
*Flos Jovis Alpina—A dwarf form of Lychnis		
Flos Jovis. Carmine flowers, 6-8 inches	.20	
*Forresti Hybrids—A showy strain of Viscaria	1 5	.25
*Haageana—6-8 inches; flesh rose; June-July		.20
*Viscaria Fl. Pl.—10-12 inches; bright carmine;	.10	.20
June	.15	.25
LYSIMACHIA		
Frazer — 3 feet; yellow; July; This and the		
following variety are worth growing in any garden		.35
Punctata—2 feet; yellow; June		.35
*Nummularia—Creeping. A rampant grower but		•••
useful in waste places or rock walls. Yellow		
flowers	.15	.25
LYTHRUM Roseum—3-4 feet; rose; July		.25
MAMMILLARIA		.20
*Vivipara—(Hardy Cactus). 2-3 inches; rose	.15	
MAZUS		
*Reptans—Carpeting; blue; June. Lacking in	1 ~	
hardiness here	.15	
Officinalis—Lemon flavored leaves used in flavor-		
ing salads and liquers. One of the sweet herbs.		
2 feet	.15	
MENTHA (Mint)		
Citrata Bergamot—An aromatic herb grown for the scented leaves	15	
Piperita—Peppermint. Original source of pepper-	.13	
mint flavoring. 2-3 feet	.15	
Pulegium—Pennyroyal. Strongly aromatic. Medic-		
inal herb. Creeping	.15	
Spicata—Spearmint. Best known as a flavoring for gum, but used also to flavor salads, veget-		
ables and liquers	.15	
MONARDA	v	
Didyma—Oswego tea. Brilliant scarlet flowers in		
midsummer, 2 feet	.15	
MYOSOTIS (Forget-me-not) Palustris—Much used for waterside planting.		
Clear blue flowers, yellow eye. Prostrate	.15	
Price: 12 of one kind at price of 10; 3 or more at doz.		3 .

Enchantress—3 feet. Bright salmon pink with darker eye.

Ethel Pritchard—A beautiful light blue on cloudy days or under morning light. Under mid-day sun a delicate mauve. Large flowers.

Europa—White with crimson eye.

Firebrand—Large bright red.

Flora Riedy—A very good white of medium height.

Jules Sandeau—Light salmon pink.

Milly Von Hoboken—24-30 inches; large soft pink flowers.

Mia Ruys—A very large flowered dwarf growing white. Miss Lingard—24-30 inches. Shining green foliage, waxy

white flowers in June.

Morgenrood—New. Deep rose red.

Mrs. Jenkins—A very good standard white with delicate creamy tint. 2 feet.

Rheinlander—A clear salmon pink with eye.

Rising Sun—A very good new salmon pink phlox of the type of Elizabeth Campbell but a stronger grower.

Riverton Jewel-Mauve pink with eye.

Rokoko-New. Large clear soft pink.

R. P. Struthers—One of the sturdiest and best varieties of Phlox. 3 feet, rose carmine with red eye.

Rynstrom—Clear rose pink.

Siebold—2 feet, deep salmon pink.

Thor—A large flowered deep salmon that is much admired.

Von Hochberg—3 feet. A fine bright crimson.

*Von Lassburg-Large trusses of white flowers.

Wm. Tell—A tall bright pink with cerise eye. Of the vigorous R. P. Struthers type.

SPECIAL OFFER: BABY PHLOX

14 plants for \$1.50, prepaid. 2 each of Baby Phlox Siebold, R. P. Struthers, Miss Lingard, Rising Sun, Bridesmaid, Flora Riedy, Von Hochberg. 14 plants in all, delivered.

	\approx	ري
PHLOX SPECIES	ot.	F'ld
*Amoena—Sun loving species. Lilac pink flowers	4 ~	25
in clusters. 6 inch	.15	.25
*Diffusa—An Alpine species from the Rocky		
Mountains. Mats of soft green foliage. Flowers		
lavender to white. 4 inch	.35	
*Divaricata—A native species. Large fragrant		
lavender flowers on 6 inch stems	.15	
*Divaricata Laphami—An improved form of the		
above, with blue flowers on 6 to 8 inch stems	.15	.25
*Ovata—Fine pink flowered species flowering in		
June. 7-8 inches	15	.25
*Pilosa—Bright pink flowers on 8-10 inch stems	.10	.25
in May and June	1 5	.25
· ·	.13	.43
*Subulata Alba—Moss Pink. Pure white form of	4 -	0.5
this well known dwarf. May	.15	.25
*Subulata Apple Blossom—A fine form with		
flowers of apple blossom pink in May	.20	.25
*Subulata Atropurpuria—Very compact dark		
green foliage, small deep red flowers. May	.15	
*Subulata Brittoni-Distinct foliage. More deli-		
cate type. White with lilac eye. May	.20	
*Subulata Blue Hill—New and one of the best.		

Deep blue flowers above a compact tuft. May .20

	Pot.	F'ld
*Subulata Mrs. G. F. Wilson—Lavender flowers		
over green awl shaped leaves. May* *Subulata Rosea—Good rose flowering form with	.15	.25
foliage of the type. May	.15	.25
*Subulata Vivid—A great aquisition. Deep salmon	~ -	
pink flowers in May	.25	
Phlox, \$2.00.		
PHYSOSTEGIA (False Dragon Head)		
Virginica—3-4 feet; light pink; July-August		.20
*Virginica Vivid—2 feet; dark pink; August- September	15	.25
PLATYCODON (Balloon Flower)	.13	0
Grandiflora—Fine. Dark blue bell shaped flowers		
on 18 inch stems. July-August		.25
Grandiflora AlbaPure white form of above. 18 inch. July-August		.25
POLYGONUM (Knotgrass)		. <u></u> .
Brunoni-New. Narrow evergreen leaves, rich		
bronze in fall. Clear pink spikes on 6 inch stems	20	
POTENTILLA (Cinquefoil)	.20	
Cinerea—A dainty Alpine. Pale yellow flowers		
on 4 inch tufts of foliage	.25	
PRIMULA (Primrose)		
Auricula—Fine heads of varicolored flowers on 4 inch stems	25	
Cashmiriana—Large ball shaped flower heads on	0	
stems 8 inches high. Flowers red, blue and		
lavender. May		
Cortusoides—8-10 inches, bright rose; June Mistassinica—Light green leaves from which	.45	
spring 3-4 inch stems of delicate mauve flowers	.50	
Polyanthus—English Primrose. Many attratcive		
PULMONARIA LUNGWORT	.25	
Officianalis—Dark green leaves spotted white.		
Light blue flowers which are pink in the bud		
stage. 8-10 inches. May	.25	
PYRETHRUM Corymbosum—Several medium sized white flow-		
ers on an 18 inch stem in early summer		.25
Roseum—Persian Daisy. Single and semi-double		
daisies varying from white through shades of		25
pink and rose to deep crimson. 12-18 inch. June Roseum Buckeye—A double flowered deep rose		.25
or red variety of great beauty	.35	
Roseum Miami Queen-A bright pink double long		
blooming variety		
Roseum Trojan—Double dark pink		
*Tchihatchewii—Turfing Daisy. A mat forming		
perennial useful as a ground cover on sunny		
poor soils. Small white daisy like flowers	.15	
Officinalis—The old fashioned fragrant Rose-		
mary. A tender perennial		
RUTA (Rue)		
Graveolens—An old fashioned medicinal herb with attractive foliage and yellow flowers.		
10-12 inches		
SAGINA (Pearlwort)		
*Glabra—Bright green mossy growth for paved	15	つち
walks	rate	,43 9.

Pot.	F'ld
*Kamtschaticum—10 inches; bright yellow; July .15 *Kamtschaticum Variegata—6-8 inches; varie-	
gated foliage	
with white. Lacks hardiness here	
*Lydium—Bright green mossy mounds of foliage .15	.20
*Magellense—Light green mossy foliage; not so	0
dense as Lydium	
*Middendorfianum—Bright yellow; one of the	25
best of the medium upright group	.25
* Middendorfianum Hybridum—Somewhat finer	
growth than the above. Foliage colors crimson in fall	
*Nevi—Pale green rosettes 1-2 inches high15	
*Oppositifolium—3-4 inches; white; July-August;	
spurium group	
*Oregonum—3-4 inches; vivid green spatulate	
leaves	
*Pulchellum—6-8 inches; lilac rose; July. Bi-	
ennial in nature	.25
*Reflexum-5-6 inches; yellow; June. Sedums of	
reflexum, rupestre and anopetalum group all	
resemble varying types of little spruce branches .15	
*Feflexum Cristatum—A striking crested form of	
reflexum	.25
*Reflexum Minor—Compact type with blue-green	
foliage	
*Rupestre—Blue green foliage, formerly sold	
as pruniatum fosterianum	
*Sarmentosum—Free growing; creeping; light	
green foliage; yellow flowers. Does well in	20
*Sexangulare—Much like acre but finer and turns	.20
bronze in fall	.20
*Sibericum—Leaves are tiny pear shaped beads	
of green	
*Sieboldi—5-6 inches; rose; September. A very	
beautiful variety	.25
"Silver"—Probably a form of Hispanicum with	
especially attractive silvery foliage	
Spectabile—12-15 inches; pink; August-September .15	.20
*Spectabile Brilliant—12-15 inches; deep rose;	
Sept	
*Spectabile Variegata—Leaves marked creamy white. Also sold as Alba-roseum variegatum15	
*Spurium—5-6 inches; pink; July. A sturdy grow-	
ing variety	.20
*Spurium Coccineum—5-6 inches; crimson; July .15	.20
*Stoloniferum—Like a delicate growing spurium,	0
yellow flowers	
*Stribryni—A low-growing variety m'dway be-	
tween acre, and reflexum in style of growth15	
*Telephium-15-18 inches; rose purple; July	.25
*Ternatum—3-4 inches; white; May	.25
*Yosemetensis—3-4 inches; bright yellow flowers .25	
One each 25 choice sediums \$3.50. One each 50	
different sedums, \$6.75.	
SEMPERVIVUMS (Hen and Chickens)	
*Arachnoideum—Green leaves connected by cob- web-like hairs. Red	20
*Arenarium—A tiny variety with pointed leaves .15	.20
*Brauni—Green rosettes tipped brown, medium	
size	
Price: 1.3 of one kind at price of 10; 3 or more at doz. rates.	

*Globiferum—Round green globes tinting red in	Pot.	F'ld
fall	15	
*Calcareum—Evidently not true but a fine variety; velvety green flat rosettes 5 or 6 inches	.10	
across; light greenish-yellow flowers	.15	
*Fimbriatum—A medium sized variety with sharp pointed leaves and many fine hairs	.15	
*Glaucum—Leaves glaucous with brownish spot at tip. Red flowers	.20	
*Doellianum—A less hairy form of Arachnoi-deum	.15	
*Heuffel:—Green with leaf tips tinted brown. Increases by splitting of crown instead of "Chickens"	2 =	
*Lowns Seedling No. 60—A rather hairy Hybrid		
*Pittoni—Rosettes 1½ inches across. Leaves blotched and tipped light red. Flowers yellow-	.25	
ish white *Rubicundum—Large velvety rosettes lightly	.20	
tinted purple	.25	
*Tectorum—A large form of this old favorite *Toole's Seedlings—A variety of sizes, forms and colors, tinting beautifully in fall and spring	.15	.20
with shades of violet-purple, brown, etc. Very fine effect in the rock garden	15	25
*Wulfeni—Rosettes 2 inches across slightly glau-		.23
cous, ciliate. Flowers pale yellow	.20	
Bornmulleri—An early flowering crucifer resembling Alyssum. White flowers in earliest spring. 2-3 inches	35	
SILENE (Catchfly)		
*Alpestris—3-4 inches; white; May-June	15	
STACHYS (Betony)	.15	
*Lanata—Woundwort. 12-15 inches; pink; June; leaves silvery and very wooly	.15	.20
STATICE (Sea lavender)	.15	
Dumosa—8-12 inches; tinted white; July. new,		
good to dry for winter bouquets	.15	.25
TANACETUM Balsamita Costmary—An aromatic herb of the	.13	.45
old fashioned garden Vulgare Tansy—One of the standard old fashion-	.15	.25
finely divided leaves are ornamental in the		
hardy border	.15	
TEUCRIUM (Germander) *Chamaedrys—5-6 inches; rose red; July. For		
THYMUS (Thyme)	.15	đ
*Aureus—Golden leaved Thyme. 5-6 inches; lilac; July	.15	.25
leaves edged with creamy white		
*Azoricus—A low growing mossy plant that is very attractive. Not very hardy here		.25
pleasing lemon-scented leaves. Used to flavor salads Price: 12 of one kind at price of 10; 3 or more at doz	15	25
Price: 12 of one kind at price of 10: 3 or more at dog	***	.43

	Pot.	F'ld
*Lanuginosus—Creeping, gray, hairy foliage;		
rarely blooms	.15	.25
*Nitidus—4-6 inches; upright sage green leaves		
with pleasing scent		
*Serpyllum—Creeping, green foliage; lilac; July		25
*Serpyllum Album—Creeping; white; July	.15	.25
July	15	.25
Serpyllum Odoratus—Sub-shrubby, useful for	.13	,23
covering large rocks, very fragrant		
*Vulgaris—Kitchen Thyme, also ornamental		.25
One each of the above ten varieties of Thym		
potted plants, \$1.40.	- /	
TROLLIUS (Globe Flower)		
Europeus—2 feet. yellow; May. Needs a moist and		
fertile soil	.25	
Ledebouri—Taller and later flowering than Euro-		
peus. Flower less globular in shape	.25	
TRIFOLIUM		
Repens Purpurea—A most interesting and orna-		
mental clover with bronze foliage. Grow it for		
luck because you can always find several four	1 5	
leaved clovers on an established plant	.15	
TUNICA (Coat Flower) *Saxifraga—3-5 inches; pink; July-August	15	20
*Saxifraga Fl. Pl.—Double flowered Tunica.		.20
3-5 inches; pink; June-August		
VALERIANA		
Officinalis—(Garden Heliotrope) 5-6 feet; white;		
summer. Heavily sweet scented		.20
VERONICA (Speedwell)		
*Austriaca—8-10 inches; blue; June	.15	.25
*Corymbosa Stricta—Upright; 6-8 inches; blue;		
June	.15	
*Filiformis—Close creeper; light blue; May.		~ =
Good for planting between stepping stones		.25
*Gentianoides—10-12 inches; blue; June-July		
*Incana—8-10 inches; intense blue; June; leaves		.25
gray Longifolia Subsessilis—12-18 inches; deep blue;		.43
Sept		.35
*Pectinata—Trailing; wooly foliage; blue		
*Pectinata Rosea—Trailing; wooly foliage; rose;		
May		.25
*Prostrata—3-4 inches; carpeting; May		.25
Spicata—15-20 inches; medium; blue; June-July.		.20
*Spicata Nana—5-6 inches; blue; July. For rock		. .
garden or border		.25
*Spicata Nana Erica—5-6 inches; pink; July. Has		25
much the appearance of Heather		.25
*Teucrium—8-10 inches; intense blue; June Virginica—3-5 feet; white; August. Our native		.43
veronica	_	.25
VIOLA	-	.20
*Arkwright Ruby—A bright ruby red variety of	f	
great beauty	15	
*Apricot—5-6 inches; yellow shaded apricot; al	1	
0000011	15	
*Applequist Seedling—An improved Jersey Gem		
Flowers very large. A new variety from the		
West Coast***Bowle's Black—5-6 inches; tiny black flowers	43 :	
with violet center		
WILLI FIGURE COLLEGE		

	Pot.	F'ld
*Jersey Gem—6 inches; flowers violet; all summer	.15	.25
*Jersey Jewel-6 inches; flowers larger and dark-		
er than Jersey Gem. Very free flowering		
*Lutea—6 inches; clear yellow; all season		
sweet scented single blue violet		.25
*Odorata Rosina—3-4 inches; rose, very sweet		
scented; flowers spring and fall	.25	
VINCA (Periwinkle) *Minor—Dark green leaves and blue flowers. A		
good ground cover under trees	.15	.25
*Minor Bowle's Variety—A compact form of the	0-	
aboveYUCCA	.25	
Angustifolia—Narrow, long leaves, 18 inches	.15	
ZAUSCHNERIA		
*Californica—California Fuchsia. Scarlet Fuchsia like flowers	35	
	.00	
OLD FASHIONED HERBS		
For several years Mrs. Toole has been much in	itere	sted
in our old fashioned herbs and of course I have		
expedient to trail along. As a result we offer this so of some of the best of the varieties that you wil		
want in your Herb Garden. The Herbs are divident		
general way into Aromatic Herbs, grown for the		
grance. Sweet or Pot Herbs used as a flavoring fo and Medicinal Herbs used in preparing old fa		
remedies. Some are hardy perennials and are indic		
the abbreviation Per. Tender perennials are so i		
and biennials as well. Annuals are indicated Ann.	4 - ~	
Plants are out of $2\frac{1}{2}$ inch pots and are ready along nicely in your garden. Seeds are also off		
some kinds.		01
Mrs. Toole has prepared directions for the use		
of the Sweet Herbs. A copy of these directions will cluded with orders amounting to \$2.00 or over.	l be	111-
While many will want to grow these herbs in a	spe	cia1
herb garden, possibly in a formal design, most of th	em 1	nay
be used as ornamental features in the rock garden ennial border.	or 1	er-
Chives, Germander, Lavender, Winter Savory, I	Rue	and
Thyme may well find a place in the rock garden	ı, w	hile
practically all the balance have enough ornamentl		
in flowers or foliage to merit a place in a mixed	Pl'ts	
Anise—(Pimpinella Anisum) Sweet Herb. Ann	.10	.05
Balm—(Melissa Officinale) Aromatic and Sweet. Per.	15	.05
Bergamot—(Mentha Citrata) Aromatic. Per		.00
Borage—(Borago Officinalis) Sweet. Ann.	.10	.10
Caraway—(Carum Carvi) Sweet. Biennial		.05
Chives—(Allium Schoenoprasum) Sweet. Per		
Coriander—(Coriandrum Sativum) Sweet. Ann.		.05
Costmary—(Tanacetum Balsamita) Aromatic.	1 [
Per. Dill—(Anethium Graveolens) Sweet. Ann.		.05
Fennel. Sweet or Florence—(Feniculum dulce)		.00
Sweet. Ann.	.10	.05
Geranium. Rose scented—(Pelargonium Graveo- lens) Aromatic; tender. Per.	15	

	Pl'ts	Seed
Germander—(Teucrium Chamaedrys) Aromatic.	15	
Per		4.0
Per. Hyssop—(Hyssopus Officinalis) Sweet. Ann	.15	.10
Lavender—(Lavendula Vera) Aromatic; tender.		.05
Per.	.15	.10
Lavender Cotton—(Santolina Incana) Aromatic;		
tender. Per.		
Lovage—(Levisticum Officinalis) Sweet. Per Marjorum. Sweet—(Origanum Morjoranum)	.20	
Sweet; tender. Per	15	.10
Pennyroyal—(Mentha Pulegium) Medicinal. Per.		.05
Peppermint—(Mentha Piperita) Flavoring. Per.		
Rosemary—(Rosmarinus Officinalis) Aromatic;		
Puo (Pute Cravesleus) Medicinal Por		.10
Rue—(Ruta Graveolens) Medicinal. Per	.13	.10
Ann	.10	.10
Sage—(Salvia Officinalis) Sweet. Per.		.05
Savory, Summer—(Satureia Hortensis) Sweet.		
Ann		.05
Savory, Winter—(Satureia Montana) Sweet. Per.	.15	
Southernwood—(Artemisia Abrotanum) Aro-	٠, ٣	
matic. Per		
Thyme, Kitchen—(Thymus Vulgaris (Sweet. Per.		.05
Tansy—(Tanacetum Vulgare) Medicinal. Per		.03
Verbena, Lemon(Aloysia Citriodora) Aromatic;	•-•	
tender. Per	.15	
Wormwood—(Artemisia Absinthum) Medicinal.	. ~	o =
Per	15	115
	.13	.05
NATIVE PLANTS OF THE MIDDLE V		
	WE	ST
Each year shows an increasing interest in the	WE	ST
Each year shows an increasing interest in the native to this section. Among them will be found with the section of the section of the section.	WE e pla varie	ST ants ties
Each year shows an increasing interest in the native to this section. Among them will be found we suited to the rock garden and the perennial border as the natural wild garden.	WE e pla varie as v	ST ants ties well
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met	WE pla varie as v hods	ST unts ties well of
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties	WE playaried as who was the war who was the war was to be as which we want to be a subject tor be a subject to be a subject to be a subject to be a subject to	ST unts ties well of our
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are taken	WE pla varie as v hods s in	ST unts ties well of our com
Each year shows an increasing interest in the native to this section. Among them will be found valued to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na	WE playaried as who was the ward of the wa	ST unts ties well of our roll or
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy	WE playaried as who was the ward of the wa	ST unts ties well of our roll or
native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden.	WE play varied as who was the winder of the	sties well of our com or ting
Each year shows an increasing interest in the native to this section. Among them will be found was uited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks.	WE pla varie as v hods s in en fure exist	sties well of our com or ting ties
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.	WE pla varie as varie hods in frature exist varie inad	sties well of our com or ting ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service—at moderate expense for the	WE pla varie as varie hods in frature exist varie inad	sties well of our com or ting ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able.	WE pla varie as varie hods in frature exist varie inad	sties well of our com or ting ties vis- de-
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service—at moderate expense for the	WE pla varie as varie hods in frature exist varie inad	sties well of our com or ting ties vis-
Each year shows an increasing interest in the native to this section. Among them will be found a suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge	wE playaried as who waried ture existed waried in additional and the control of t	sties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found a suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places	wE playaried as who waried ture existed waried in additional and the control of t	sties well of our com or ting ties vis- de-
Each year shows an increasing interest in the native to this section. Among them will be found a suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of nawhere pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry)	wE pla varie as varie hods in future exist varie inad	sties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry) Alba—18-24 inches; white flowers and ivory colo	WE play varied as waried waried as w	sties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some suntil late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry) Alba—18-24 inches; white flowers and ivory colo fruit with red pedicels	wE playarie as warie as warie existe warie inad	sties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some vuntil late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry) Alba—18-24 inches; white flowers and ivory colo fruit with red pedicels Rubra—15-20 inches; white flowers in slender	wE pla varie as varie hods in finate varie inad nose	sties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some suntil late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry) Alba—18-24 inches; white flowers and ivory colo fruit with red pedicels	wE playarie as warie ture existe varie inad	sties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry) Alba—18-24 inches; white flowers and ivory colo fruit with red pedicels Rubra—15-20 inches; white flowers in slender cemes followed by red fruit. Both banebarries leader to the side of the second state of the sec	wE playarie as warie ture existe varie inad	sT ants ties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some vuntil late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry) Alba—18-24 inches; white flowers and ivory colo fruit with red pedicels Rubra—15-20 inches; white flowers in slender cemes followed by red fruit. Both banebarries leader to the woods ACTINEA *Herbacea—Lakeside Daisy. A mat forming places	wE playarie as waried waried as a cof a core ant	sT ants ties well of our com or ting ties vis- de- Each
Each year shows an increasing interest in the native to this section. Among them will be found to suited to the rock garden and the perennial border as the natural wild garden. As fast as facilities and our knowledge of met propagation permit, we are growing these varieties nursery. Those plants that are collected are take waste places or spots unvisited by lovers of na where pasturing or cultivation will soon destroy stocks. It may be necessary to delay shipment of some until late summer or fall if spring shipment seems able. Consulting service at moderate expense for the siring to naturalize considerable area is available. ACORUS (Sweet Flag) Calamus—Aromatic roots, grassy foliage, for edge pools and open damp places ACTATEA (Baneberry) Alba—18-24 inches; white flowers and ivory colo fruit with red pedicels Rubra—15-20 inches; white flowers in slender cemes followed by red fruit. Both banebarries leader to the woods ACTINEA	wE playarie as warie as warie in ad aose and aose and ara-	sT ants ties well of our com or ting ties vis- de- Each

	Each
ANEMONE (Windflower)	
Canadensis—The white flowers on stems 15-20 inches	
high appear in June. Open damp places	.20
*Patens Var. Wolfgangiana—(Wild Crocus) Our	
earliest spring wild flower. Lavender flowers fol-	
lowed by silky feathery seed vessels. Open gravelly	
soil. Not easy to establish	.25
ARENARIA	
*Stricta—Needle like leaves, white flowers in late	
spring. Open sun or light shade, sandy soil	.25
AQUILEGIA (Columbine)	
*Canadensis—Scarlet and yellow flowers on plants	
the state of the s	
1-2 feet high. Often found in crevices of cliffs with	
but little soil. May-June. At home in sunor	25
shade, in good soil or almost none at all	.25
ARISAEMA (Jack-in-the-Pulpit)	
*Triphyllum—6-12 inches; brownish purple flowers in	
May followed by brilliant red berries. Slightly	
acid leaf mold. Shade	.20
ASARUM (Wild Ginger)	
*Canadense—Gets its name from the thickened roots	
strongly ginger flavored. A good ground cover for	
rich shade. 6-8 inches; Curious chocolate colored	
flowers in May	.20
ASCLEPIAS	0
*Tuberosa—(Butterfly Weed) 12-15 inches; brilliant	
orange flowers in midsummer; Well drained soil	.25
in sun	.25
ASTER	
*Linariifolius—(Savory Leaved Aster) 8-12 inches;	
purple flowers in Sept. on stiff leaved compact	
bushy plants. Open sandy soil	
Novae Angliae—(New England Aster) Flowers pur-	
ple to rose colored on 3-4 feet stems in Sept. Rich	
fairly moist soil	.25
Sericeus—(Silky Leaved Aster) Mauve flowers on	
stems sparsely clothed with silky leaves in Sep-	
tember. Rather poor sandy soil	
CALTHA (Marsh Marigold)	
Palustris—8-12 inches; Open bogs are often a mass	
of yellow with this plant in early spring. May be	
grown in good garden soil, not too dry	
CAMPANULA (Harebell)	0
*Rotundifolia—6-12 inches; The purple bells may be	
found growing from crevices in rocky cliffs, on	
sandy hillsides, or hummocks in open swamps.	
but it's always attractive, all summer	
	23
CAULOPHYLLUM (Blue Cohosh)	
*Thalictroides—10-15 inches. The bunches of blue	
berries in mid-summer are the conspicuously orna-	
mental feature. Shade and leaf mold	.20
CLAYTONIA (Spring Beauty)	
*Virginica—2-4 inches. The rose colored flowers rise	
from grassy tufts in early spring. Shade, leaf mold	.15
CHRYSOGONIUM	
*Virginianum—From the Smoky Mountains of Ten-	
nessee. One inch golden flowers on short stems	
all summer	.25
CYPRIPEDIUM (Lady Slippers)	
Acaule-Moccassin Flower. 6-10 inches; rose; June.	
Must have acid soil	.35
Pubescens—Yellow Lady Slipper. 8-15 inches; yel-	
low; May; Not difficult to grow in shade in leaf	
mold	.35
Price: 12 of one kind at price of 10: 3 or more at doz. rat	es.

Candidum—Small White Lady Slipper. 6-8 inches;	Łach
white; May. Not difficult in open or lightly shaded	
damp places	.50
Spectabile—Showy Lady Slipper. 2 feet. White shaded	.50
with rose; June. Needs a neutral soil, moisture and	2 =
light shade	.35
DICENTRA	
*Cucullaria—Dutchmans Breeches. 5 inches; white	
early spring. Plant tiny bulbs shallow in rich leaf	
mold. Shade	.15
DODECATHEON (Shooting Star)	
*Meadia—10-12 inches; white or pink; May. Open	
well drained but not poor soil. One of our more	
beautiful wild flowers	.25
ERYTHRONIUM (Dog-Tooth Violet)	
Americanum—Yellow flowers and mottled leaves.	
	1 =
Early spring. Rich shade. Fall delivery	.15
Albidum—White or tinted flowers, leaves somewhat	4 =
mottled. Rich soil	.15
EUPATORIUM (White Snakeroot)	
Urticaefolium—1-3 feet. white; Sept. One of the few	
fall flowering plants that thrives in deep shade	.25
EUPHORBIA (Spurge)	.23
Corollata—Grows plentifully in open sandy fields.	
Used in quantities by florists in summertime in	
place of Baby's Breath. 18-24 inches; small white	20
flowers in July and August	.20
EPIPACTIS (Rattlesnake Plantain)	
*Pubescens—Low rosettes of greyish green leaves	
that are the ornamental feature. Rich medium acid	
leaf mold in shade. Single rosettes. Clumps 50c	.15
GENTIANA	
*Andrewsi—Closed or Bottle Gentian. The dark blue	
of closed Gentian carries the flowering season for	
the wild garden into late October. 10-12 inches.	
mo'st soil, sun or light shade	.25
GALIUM	
*Boreale—(Northern Bedstraw) 10-12 inches. Masses	
of tiny creamy white flowers in midsummer.	25
Heavily sweet scented. Sandy soil in sun	.25
GAULTHERIA	
*Procumbens—Wintergreen. 2-3 inches; Aromatic	
leathery leaves and red fruit. White flowers. Must	0.7
have highly acid soil and moderate shade	.25
GEUM	
*Triflorum—Prairle Smoke or Old Mans Whiskers.	
Red flowers in May, followed by fluffy seed ves-	
sels of a smoky color. 6-8 inches; Well drained	
soil, sun	.25
HELENIUM	
Autumnale—Sneezewort. 2-4 feet yellow daisy-like	
flowers in late summer. Rich moist soil, open sun	
HEPATICA	
*Acutiloba—Three parted leaves pointed at tips.	
Easier to grow than Americana because it does	
not require acid soil. Evergreen leaves over winter,	
new leaves following the flowers. One of the love-	
liest little woodland flowers of early spring; vary-	
ing shades of light blue, delicate pink or clear	
white	.25
IRIS	
Virginica—Our native blue flag. Found usually in	
wet places but does well in any fertile garden soil.	
Price: 12 of one kind at price of 10: 3 or more at doz. rate	es.

	Each
2-3 feet. Blue flowers with yellow spot at base of	0.5
blade	.25
LIATRIS (Blazing Star)	
Pychnostachya—4-5 feet; long spikes of dark mauve	~ -
flowers. AugSept. Good garden soil, sun	.25
Sp'cata—Shorter spikes. Well drained sandy soil.	
Late summer	.25
LITHOSPERMUM (Puccoon)	
Angustifol'um—8-10 inches. Vivid yellow flowers in	
spring. Sandy soil, sun	.25
LOBELIA	
Cardinalis—(Cardinal Flower) Brilliant and showy	
cardinal flowers on stalks 2-4 feet high in August.	
Grows wild along the sides and even on the beds	
of creeks where it is covered with two or three	
inches of water part of the year. Will grow in fer-	
	.25
MERTENSIA	.43
Virginica—(Virginia Cowslip) 10-20 inches; glaucous	
green foliage, pink buds followed by delicate blue	
flowers in early spring. Sun or shade; fertile moist	20
soil	.20
MITCHELLA (Partridge Berry)	
Repens—Trailing; pink flowers followed by red	
fruit in fall. One of the finest of ground covers for	
F	.15
MITELLA (Bishopscap)	
Diphylla—8-12 inches. Spikes of tiny white snow-	
flake-l'ke flowers in spring. Somewhat hairy maple	
shaped leaves. Rich leaf mold, shade	.25
OPUNTIA (Cactus)	
*Frag'lis—(Small Prickly Pear) A hardy Cactus	
found on our rocky bluffs. Flat stems and long	
yellow spines. 2-6 inches, Good for dry rock gar-	
	.25
*Rafenesquii—(Prickly Pear) The flat stems are	
much larger than fragilis and may reach a height	
of 12 inches and will spread out over an area of 2	
feet across. Yellow flowers in July, red edible fruit	
in fall	.25
PENTSTEMON	.23
Grandiflorum—One of the best of the Pentstemons.	
Lavender foxglove-like flowers in late spring. 18-24	
inches. Requires well drained soil, sun	.25
PHLOX	.43
*Divaricata—(Woods Phlox) Makes a lovely carpet	
of blue in spring. Light shade, fertile soil and fair	20
amount of moisture	.20
*Pilosa—Prairie Phlox. Well drained soil in open,	
sunny spots. Bright rose, sometimes plain magenta,	
It needs to be used with some care in the garden.	
8-12 inches	.25
POLEMONIUM	
*Reptans—Grows in somewhat damp, shady places,	
ordinary soil. 10-12 inches. May-June. Bell-shaped	
violet-blue flowers	.20
POLYGONATUM	
*Biflorum—(Solomon's Seal) The blue-black berries	
hang from the under side of arching leafy stalk	
growing 18-30 inches tall	.20
RANUNCULUS	
*Fasicularis—(Early Spring Buttercup) A very	
early yellow flower growing on warm sandy slopes.	
3-4 inches. April	.20
Price: 12 of one kind at price of 10: 3 or more at doz. rates	

	Each
PRIMULA	
*Mistassinica—(Arctic Primrose) A tiny little prim-	
rose that thrives in a soil of part leaf mold and	
part sand. Needs plenty of moisture but good	
drainage, and light shade. Tiny mauve flowers on	
stems 2-3 inches tall in late May or early June	.50
SANGUINARIA	,
*Canadensis—(Bloodroot) The pointed buds and	
white flowers, clasped by the unfolding leaves ap-	
pear very early in the spring. Rich leaf mold soil,	1
preferably in light shade. 4-8 inches. April-May	.13
SARRACENIA	
Purpurea—(Pitcher Plant) Curious pitcher-like	
leaves and odd brown flowers. Grow in acid sphag-	
num bogs. For the bog garden. June. 12-18 inches	.35
SMILACINA	
*Racemosa—(False Solomon's Seal) A small panicle	
of creamy-white flowers in May, followed by	
speckled reddish brown berries. 12-20 inches. Rich	
leaf mold, shade	.25
TALINUM	0
*Rugospermum—Found growing on, sunny, barren	
sandy land. Given similar conditions, it will thrive	
- · · · · · · · · · · · · · · · · · · ·	
but cannot survive on good soil. The plant is but	
two or three inches tall with fleshy round leaves	25
and small pink star-shaped flowers	.25
TRADESCANTIA	
Occidentalis—(Spiderwort) A clear blue flower,	
growing on open sandy or gravelly hillsides, but	
found on moist soil in some sections. Effective	
in the sunny border, around pools or in the open	
wild garden. 12-30 inches. June to August	.25
Grandiflorum—(Wake Robin) Flowers white some-	
times changing to pink. June. Needs rich soil and	
light shade. Plant the tubers a few inches deep.	
10-15 inches	.25
Nivale—(Snow Trillium) A tiny variety often but	
2 or 3 inches high. Small white flowers sometimes	
before the last snowbank has gone in late March	
or early April3 for	.40
	. 40
UVULARIA (Bellwort)	
*Grandiflora—Yellow, early spring; Leaf mold,	
shade. 8-15 inches	.15
VERONICA	
Virginica—3-7 feet. Spikes of white or tinted flowers	
in summer. Rich soil, light shade or sun	.25
VIOLA	
*Canadensis—Canada Violet. 4-8 inches; Flowers	
most of summer; white tinted pink. Any fertile	.25
soil	
*Cucullata—Common Violet. 3-8 inches; dark blue	
flowers in spring. Leaf mold, shade	
Cucullata—Confederate Violet. A form with violet	
center and tinted white flowers	
*Pallens—Sweet White Violet. Tiny sweet scented	
white flowers. Moist shade. Leaf mold	.20
*Pedata—Birds Foot Violet. 3-6 inches; Varying	
shades of lavender and purple. Sandy acid soil, sun	.15
*Pedata—Bicolor. Upper petals dark purple. lower	
petals lilac	.25
*Pubescens—6-9 inches; yellow flowers on upright	
stems in early spring. Leaf mold, light shade	
Price: 12 of one kind at price of 10; 3 or more at doz. rat	es.

NATIVE FERNS

Woodland and Swamp Ferns, indifferent to soil reaction or preferring circumneutral soil.

ADIANTUM

Pedatum—(Maidenhair Fern) Highly desirable. 1-2 feet.

ATHYRIUM

Felix-Foemina—(Upland Lady Fern) Attractive but spreads rapidly; 1-3 feet.

CYSTOPTERIS

Fragilis—(Woodland Brittle Fern) A low delicate ground covering plant; attractive but fronds short-lived; 6-8 inches.

DRYOPTERIS

Marginalis—(Margined Wood Fern) Evergreen; fine for holding soil on slopes; one of the best ferns for home gardens; 1-2 feet.

Spinulosa—Attractive, foliage more delicate than preceding; 1-2 feet.

OSMUNDA

Claytonianna—(Interrupted Fern) Large but highly desirable. 2-4 feet.

PTERETIS

Nodulosa—(Ostrich Fern) Fronds brittle, so plant where sheltered from wind; 2-4 feet.

Rock Ferns indifferent to reaction or preferring circumneutral soils.

ASPLENIUM

Trichomanes—(Rock-Maidenhair) Fine on shaded, rather moist rock,

CAMPTOSORUS

Rhizophyllus—(Walking Fern) Worth growing in any cool, shady place.

CHEILANTHES

Feei—(Lip-Fern) Tiny, wooly leaved fern growing on sunny lime rock.

CYSTOPTERIS

Bulbifera—(Bulblet Fern) Attractive on shaded rocks.

PELLAEA

Atropurpurea—(Cliff-brake) Desirable for sunny situations but must have moisture.

POLYPODIUM

Vulgare—(Rockcap Fern) Desirable as a capping for any rock.

WOODSIA

Obtusa—(Cliff-fern) Adaptable to almost any rock situation.

Rock Ferns preferring or requiring acid soils.

WOODSIA

Ilvensis—(Rusty Cliff-fern) Attractive on dry rocks of moderate acidity.

PRICES ON FERNS 25c each; \$2.50 ped dozen

With each order for Ferns amounting to \$2.00 or more we will send a very interesting booklet on Native Ferns edited by Mrs. Kathryn E. Boydston, which was for sale at the Century of Progress. It contains articles by Mrs. Boydston, Dr. E. T. Wherry and other authorities on Ferns.

A Fern Bed of 36 Clumps for \$5.00. Delivered.

These 36 plants are just what you want to start your wild garden. The Fern Bed includes: 10 Ostrich Ferns; 10 Lady Ferns; 10 Clayton Ferns; 6 Maidenhair Ferns.

Half of the Fern Bed; 18 plants for \$3.00. Delivered.